




THE STORY CONTINUES

Every year brings a new opportunity to do what you love to do even better. For over 30-years, HISUN Motors has become a global Powersports leader, providing the industry with innovative products engineered to raise the bar. Under the most extreme conditions and intense pressure, HISUN UTVs and ATVs have proven to get the job done time and time again. Our mission is to fuel enthusiasts worldwide with innovative products that propel the industry.







UNMATCHED

QUALITY

We are dedicated to delivering a complete line of unique and versatile UTVs and ATVs, with a common focus of surpassing industry expectations. For work or for play, we vow to continue to push the envelope and deliver cutting edge products engineered to perform. Our mission is to fuel enthusiasts worldwide with innovative products that propel the industry. We make more than Powersports vehicles, we create experiences which last a lifetime.





WARNING: HISUN OFF-ROAD VEHICLES CAN BE HAZARDOUS TO OPERATE AND ARE NOT INTENDED FOR ON ROAD USE. PLEASE READ AND UNDERSTAND THE VEHICLE OWNER'S MANUAL BEFORE OPERATING. DRIVER MUST BE AT LEAST 16 YEARS OLD WITH A VALID DRIVER'S LICENSE TO OPERATE. PASSENGERS, IF PERMITTED, MUST BE AT LEAST 12 YEARS OLD. ALL RIDERS SHOULD ALWAYS WEAR HELMETS, EYE PROTECTION AND PROTECTIVE CLOTHING. ALWAYS USE SEAT BELTS AND CAB NETS OR DOORS (AS EQUIPPED). NEVER ENGAGE IN STUNT DRIVING AND AVOID EXCESSIVE SPEEDS AND SHARP TURNS. RIDING AND ALCOHOL AND/OR DRUGS DO NOT MIX. ALL RIDERS SHOULD TAKE A SAFETY TRAINING COURSE. CALL (800) 887-2887 TO ENROLL IN AN ATV RIDER COURSE OR VISIT WWW.ATVSAFETY.ORG FOR ADDITIONAL INFORMATION. VISIT WWW.ROHVA.ORG TO ENROLL IN A UTV ROHVA E-COURSE. CHECK ALL LOCAL LAWS BEFORE RIDING.

© 2021 HISUN MOTORS CORP., U.S.A. | © 2021 HISUN MOTORS CANADA CORP.

STRIKE™

SERIES



BUILT TO CONQUER.

The Strike Series is eager for action and ready to take on the most demanding trails. Engineered to deliver, the Strike Series is the perfect combination of sport and performance giving you everything you need to conquer the off-road. Through continuous innovation, the Strike Series combines power and agility to make for unmatched performance and comfort.

STAR



STRIKE 250



STRIKE 550

ENGINE	229cc SINGLE	548cc SINGLE
TRANSMISSION	AUTOMATIC CVT L/H/N/R	AUTOMATIC CVT L/H/N/R
DRIVE SYSTEM	2WD	2WD / 4WD
LOCKING DIFF.	N/A	REAR
SUSPENSION		
FRONT SUSPENSION	DUAL A-ARM	DUAL A-ARM
REAR SUSPENSION	SWING ARM	DUAL A-ARM
SHOCKS	HYDRAULIC	HYDRAULIC W/ NITROGEN ASSIST
WHEELS		
FRONT TIRES	22 x 7-10	26 x 9-14
REAR TIRES	22 x 10-10	26 x 11-14
FEATURES		
WINCH	2,500 LB	3,500 LB
ROOF	YES	YES
WINDSHIELD	2-PIECE	2-PIECE
WARRANTY	1-YEAR LIMITED	2-YEAR LIMITED

SERIES



STRIKE 1000



STRIKE 1000 CREW

976cc V-TWIN

AUTOMATIC CVT L/H/N/R

2WD / 4WD

REAR

DUAL A-ARM

DUAL A-ARM

HYDRAULIC W/ NITROGEN ASSIST

27 x 9-14

27 x 11-14

4,500 LB

YES

2-PIECE

2-YEAR LIMITED

976cc V-TWIN

AUTOMATIC CVT L/H/N/R

2WD / 4WD

REAR

DUAL A-ARM

DUAL A-ARM

HYDRAULIC W/ NITROGEN ASSIST

27 x 9-14

27 x 11-14

4,500 LB

YES

2-PIECE

2-YEAR LIMITED

STRIKE 1000



THE PERFECT COMBINATION OF SPORT AND PERFORMANCE.

The greatest companion for the thrill-seekers. The Strike series is built to always be ready for action and take on the most demanding trails. Eager for action and ready for the challenge.

COLORS



STANDARD ACCESSORIES

4,500 LB WINCH	WIRELESS WINCH CONTROLLER
ROOF	ALUMINUM WHEELS
WINDSHIELD	NITROGEN ASSISTED SHOCKS
SIDE-VIEW MIRRORS	DUAL PORT USB
HIGH / LOW BEAM HEADLIGHTS	TURN SIGNALS





NITROGEN ASSISTED SHOCKS

Strike Series units come standard with Adjustable Nitrogen Assisted Shocks making for a smooth and customizable ride.



WARNING: HUSUN OFF-ROAD VEHICLES CAN BE HAZARDOUS TO OPERATE AND ARE NOT INTENDED FOR ON ROAD USE. PLEASE READ AND UNDERSTAND THE VEHICLE OWNER'S MANUAL BEFORE OPERATING. DRIVER MUST BE AT LEAST 16 YEARS OLD WITH A VALID DRIVER'S LICENSE TO OPERATE. PASSENGERS, IF PERMITTED, MUST BE AT LEAST 12 YEARS OLD. ALL RIDERS SHOULD ALWAYS WEAR HELMETS, EYE PROTECTION AND PROTECTIVE CLOTHING. ALWAYS USE SEAT BELTS AND CAB NETS OR DOORS (AS EQUIPPED). NEVER ENGAGE IN STUNT DRIVING AND AVOID EXCESSIVE SPEEDS AND SHARP TURNS. RIDING AND ALCOHOL AND/OR DRUGS DO NOT MIX. ALL RIDERS SHOULD TAKE A SAFETY TRAINING COURSE. CALL (800) 887-2887 TO ENROLL IN AN ATV RIDER COURSE OR VISIT WWW.ATVSAFETY.ORG FOR ADDITIONAL INFORMATION. VISIT WWW.ROHVA.ORG TO ENROLL IN A UTV ROHVA E-COURSE. CHECK ALL LOCAL LAWS BEFORE RIDING.

© 2021 HUSUN MOTORS CORP., U.S.A. | © 2021 HUSUN MOTORS CANADA CORP.



WARNING: HISUN OFF-ROAD VEHICLES CAN BE HAZARDOUS TO OPERATE AND ARE NOT INTENDED FOR ON ROAD USE. PLEASE READ AND UNDERSTAND THE VEHICLE OWNER'S MANUAL BEFORE OPERATING. DRIVER MUST BE AT LEAST 16 YEARS OLD WITH A VALID DRIVER'S LICENSE TO OPERATE. PASSENGERS, IF PERMITTED, MUST BE AT LEAST 12 YEARS OLD. ALL RIDERS SHOULD ALWAYS WEAR HELMETS, EYE PROTECTION AND PROTECTIVE CLOTHING. ALWAYS USE SEAT BELTS AND CAB NETS OR DOORS (AS EQUIPPED). NEVER ENGAGE IN STUNT DRIVING AND AVOID EXCESSIVE SPEEDS AND SHARP TURNS. RIDING AND ALCOHOL AND/OR DRUGS DO NOT MIX. ALL RIDERS SHOULD TAKE A SAFETY TRAINING COURSE. CALL (800) 887-2887 TO ENROLL IN AN ATV RIDER COURSE OR VISIT WWW.ATVSAFETY.ORG FOR ADDITIONAL INFORMATION. VISIT WWW.ROHVA.ORG TO ENROLL IN A UTV ROHVA E-COURSE. CHECK ALL LOCAL LAWS BEFORE RIDING.

© 2021 HISUN MOTORS CORP., U.S.A. | © 2021 HISUN MOTORS CANADA CORP.

SECTORTM

SERIES



BUILT FOR HARD WORK.

Keep on working and never stop improving. The Sector Series is designed for hard work and fearless adventures. Designed to work hard and play harder, the Sector Series is engineered to tackle the toughest jobs or take on uncharted terrain for that once in a lifetime big game hunt. For work or play, the Sector Series of Utility Vehicles are here to work with you.



SECTOR 250



SECTOR 450



SECTOR 550

ENGINE	229cc SINGLE	454cc SINGLE	546cc SINGLE
TRANSMISSION	AUTOMATIC CVT L/H/N/R	AUTOMATIC CVT L/H/N/R	AUTOMATIC CVT L/H/N/R
DRIVE SYSTEM	2WD	2WD / 4WD	2WD / 4WD
LOCKING DIFF.	N/A	FRONT	FRONT
SUSPENSION			
FRONT SUSPENSION	DUAL A-ARM	DUAL A-ARM	DUAL A-ARM
REAR SUSPENSION	SWING ARM	DUAL A-ARM	DUAL A-ARM
SHOCKS	HYDRAULIC	HYDRAULIC W/ NITROGEN ASSIST	HYDRAULIC W/ NITROGEN ASSIST
WHEELS			
FRONT TIRES	22 x 7-10	26 x 9-12	26 x 9-14
REAR TIRES	22 x 10-10	26 x 11-12	26 x 11-14
FEATURES			
WINCH	2,500 LB	3,500 LB	3,500 LB
ROOF	YES	YES	YES
WINDSHIELD	2-PIECE	2-PIECE	2-PIECE
HEADLIGHTS	HIGH / LOW BEAM	HIGH / LOW BEAM	HIGH / LOW BEAM
EPS	NOT AVAILABLE	NOT AVAILABLE	YES
WARRANTY	1-YEAR LIMITED	2-YEAR LIMITED	2-YEAR LIMITED

SERIES



SECTOR 750



SECTOR 1000

735cc SINGLE

AUTOMATIC CVT L/H/N/R

2WD / 4WD

FRONT

DUAL A-ARM

DUAL A-ARM

HYDRAULIC W/ NITROGEN ASSIST

26 x 9-14

26 x 11-14

3,500 LB

YES

2-PIECE

HIGH / LOW BEAM

YES

2-YEAR LIMITED

976cc V-TWIN

AUTOMATIC CVT L/H/N/R

2WD / 4WD

FRONT & REAR

DUAL A-ARM

DUAL A-ARM

HYDRAULIC W/ NITROGEN ASSIST

27 x 9-14

27 x 11-14

4,500 LB

YES

2-PIECE

HIGH / LOW BEAM

YES

2-YEAR LIMITED



SECTOR 750 CREW



SECTOR 1000 CREW

ENGINE	735cc SINGLE	976cc V-TWIN
TRANSMISSION	AUTOMATIC CVT L/H/N/R	AUTOMATIC CVT L/H/N/R
DRIVE SYSTEM	2WD / 4WD	2WD / 4WD
LOCKING DIFF.	FRONT	FRONT & REAR
SUSPENSION		
FRONT SUSPENSION	DUAL A-ARM	DUAL A-ARM
REAR SUSPENSION	DUAL A-ARM	DUAL A-ARM
SHOCKS	HYDRAULIC W/ NITROGEN ASSIST	HYDRAULIC W/ NITROGEN ASSIST
WHEELS		
FRONT TIRES	26 x 9-14	27 x 9-14
REAR TIRES	26 x 11-14	27 x 11-14
FEATURES		
WINCH	3,500 LB	4,500 LB
ROOF	YES	YES
WINDSHIELD	2-PIECE	2-PIECE
HEADLIGHTS	HIGH / LOW BEAM	HIGH / LOW BEAM
EPS	YES	YES
WARRANTY	2-YEAR LIMITED	2-YEAR LIMITED

TOR

SERIES

ELECTRIC



SECTOR E1

ENGINE	AC INDUCTION
TRANSMISSION	AUTOMATIC CVT L/H/N/R
DRIVE SYSTEM	2WD / 4WD
HORSEPOWER	FRONT
SUSPENSION	
FRONT SUSPENSION	DUAL A-ARM
REAR SUSPENSION	DUAL A-ARM
SHOCKS	HYDRAULIC W/ NITROGEN ASSIST
WHEELS	
FRONT TIRES	26 x 9-14
REAR TIRES	26 x 11-14
FEATURES	
WINCH	3,500 lb
ROOF	YES
WINDSHIELD	2-PIECE
HEADLIGHTS	HIGH / LOW BEAM
EPS	NOT AVAILABLE
WARRANTY	2-YEAR LIMITED

SECTOR

550



DISCOVER THE TRUE MEANING OF SUPERIOR UTILITY.

The Sector Series will keep things running smoothly so you will never have to take a day off. Engineered to get the job done quickly and comfortably.

COLORS



STANDARD ACCESSORIES

ELECTRONIC POWER STEERING	4-WHEEL DRIVE
NITROGEN ASSISTED SHOCKS	CVT CLUTCH
REAR LOCKING DIFFERENTIAL	CARGO DUMP BED
DUAL A-ARM SUSPENSION	AUTOMATIC TRANSMISSION
HIGH / LOW BEAM HEADLIGHTS	4-WHEEL INDEPENDENT SUSPENSION





LOCKING DIFFERENTIAL

Make tough tasks look easy with 4-Wheel Drive and a selectable Locking Differential coming standard on most Sector Series Units.



WARNING: HUSUN OFF-ROAD VEHICLES CAN BE HAZARDOUS TO OPERATE AND ARE NOT INTENDED FOR ON ROAD USE. PLEASE READ AND UNDERSTAND THE VEHICLE OWNER'S MANUAL BEFORE OPERATING. DRIVER MUST BE AT LEAST 16 YEARS OLD WITH A VALID DRIVER'S LICENSE TO OPERATE. PASSENGERS, IF PERMITTED, MUST BE AT LEAST 12 YEARS OLD. ALL RIDERS SHOULD ALWAYS WEAR HELMETS, EYE PROTECTION AND PROTECTIVE CLOTHING. ALWAYS USE SEAT BELTS AND CAB NETS OR DOORS (AS EQUIPPED). NEVER ENGAGE IN STUNT DRIVING AND AVOID EXCESSIVE SPEEDS AND SHARP TURNS. RIDING AND ALCOHOL AND/OR DRUGS DO NOT MIX. ALL RIDERS SHOULD TAKE A SAFETY TRAINING COURSE. CALL (800) 887-2887 TO ENROLL IN AN ATV RIDER COURSE OR VISIT WWW.ATVSAFETY.ORG FOR ADDITIONAL INFORMATION. VISIT WWW.ROHVA.ORG TO ENROLL IN A UTV ROHVA E-COURSE. CHECK ALL LOCAL LAWS BEFORE RIDING.

© 2021 HUSUN MOTORS CORP., U.S.A. | © 2021 HUSUN MOTORS CANADA CORP.

ELECTRIC



WARNING: HISUN OFF-ROAD VEHICLES CAN BE HAZARDOUS TO OPERATE AND ARE NOT INTENDED FOR ON ROAD USE. PLEASE READ AND UNDERSTAND THE VEHICLE OWNER'S MANUAL BEFORE OPERATING. DRIVER MUST BE AT LEAST 16 YEARS OLD WITH A VALID DRIVER'S LICENSE TO OPERATE. PASSENGERS, IF PERMITTED, MUST BE AT LEAST 12 YEARS OLD. ALL RIDERS SHOULD ALWAYS WEAR HELMETS, EYE PROTECTION AND PROTECTIVE CLOTHING. ALWAYS USE SEAT BELTS AND CAB NETS OR DOORS (AS EQUIPPED). NEVER ENGAGE IN STUNT DRIVING AND AVOID EXCESSIVE SPEEDS AND SHARP TURNS. RIDING AND ALCOHOL AND/OR DRUGS DO NOT MIX. ALL RIDERS SHOULD TAKE A SAFETY TRAINING COURSE. CALL (800) 887-2887 TO ENROLL IN AN ATV RIDER COURSE OR VISIT WWW.ATVSAFETY.ORG FOR ADDITIONAL INFORMATION. VISIT WWW.ROHVA.ORG TO ENROLL IN A UTV ROHVA E-COURSE. CHECK ALL LOCAL LAWS BEFORE RIDING.

© 2021 HISUN MOTORS CORP., U.S.A. | © 2021 HISUN MOTORS CANADA CORP.

SECTOR

E1



PRECISION-TUNED TO BE WHISPER QUIET.

Quietly bringing electric intelligence to the off-road world. With zero local emissions, discover why the future is electrifying.

COLORS



STANDARD ACCESSORIES

AC INDUCTION ENGINE	4-WHEEL DRIVE
30 HORSEPOWER	220 FT LB TORQUE
CARGO DUMP BED	6-8 HOUR CHARGE TIME
>42 MILE RUN	ON-BOARD CHARGER
DRY CELL BATTERIES	DIRECT DRIVE



CREW



WARNING: HISUN OFF-ROAD VEHICLES CAN BE HAZARDOUS TO OPERATE AND ARE NOT INTENDED FOR ON ROAD USE. PLEASE READ AND UNDERSTAND THE VEHICLE OWNER'S MANUAL BEFORE OPERATING. DRIVER MUST BE AT LEAST 16 YEARS OLD WITH A VALID DRIVER'S LICENSE TO OPERATE. PASSENGERS, IF PERMITTED, MUST BE AT LEAST 12 YEARS OLD. ALL RIDERS SHOULD ALWAYS WEAR HELMETS, EYE PROTECTION AND PROTECTIVE CLOTHING. ALWAYS USE SEAT BELTS AND CAB NETS OR DOORS (AS EQUIPPED). NEVER ENGAGE IN STUNT DRIVING AND AVOID EXCESSIVE SPEEDS AND SHARP TURNS. RIDING AND ALCOHOL AND/OR DRUGS DO NOT MIX. ALL RIDERS SHOULD TAKE A SAFETY TRAINING COURSE. CALL (800) 887-2887 TO ENROLL IN AN ATV RIDER COURSE OR VISIT WWW.ATVSAFETY.ORG FOR ADDITIONAL INFORMATION. VISIT WWW.ROHVA.ORG TO ENROLL IN A UTV ROHVA E-COURSE. CHECK ALL LOCAL LAWS BEFORE RIDING.

© 2021 HISUN MOTORS CORP., U.S.A. | © 2021 HISUN MOTORS CANADA CORP.

SECTOR CREW



SECTOR 1000 CREW

SECTOR 750 CREW

DESIGNED FOR HARD WORK.

Keep on working and never stop improving. The Sector Crew is designed for hard work and fearless adventures.

COLORS



STANDARD ACCESSORIES

ELECTRONIC FUEL INJECTION	4-WHEEL DRIVE
NITROGEN ASSISTED SHOCKS	CVT CLUTCH
LOCKING DIFFERENTIAL	CARGO DUMP BED
DUAL A-ARM SUSPENSION	AUTOMATIC TRANSMISSION
HIGH / LOW BEAM HEADLIGHTS	ELECTRONIC POWER STEERING





WARNING: HISUN OFF-ROAD VEHICLES CAN BE HAZARDOUS TO OPERATE AND ARE NOT INTENDED FOR ON ROAD USE. PLEASE READ AND UNDERSTAND THE VEHICLE OWNER'S MANUAL BEFORE OPERATING. DRIVER MUST BE AT LEAST 16 YEARS OLD WITH A VALID DRIVER'S LICENSE TO OPERATE. PASSENGERS, IF PERMITTED, MUST BE AT LEAST 12 YEARS OLD. ALL RIDERS SHOULD ALWAYS WEAR HELMETS, EYE PROTECTION AND PROTECTIVE CLOTHING. ALWAYS USE SEAT BELTS AND CAB NETS OR DOORS (AS EQUIPPED). NEVER ENGAGE IN STUNT DRIVING AND AVOID EXCESSIVE SPEEDS AND SHARP TURNS. RIDING AND ALCOHOL AND/OR DRUGS DO NOT MIX. ALL RIDERS SHOULD TAKE A SAFETY TRAINING COURSE. CALL (800) 887-2887 TO ENROLL IN AN ATV RIDER COURSE OR VISIT WWW.ATVSAFETY.ORG FOR ADDITIONAL INFORMATION. VISIT WWW.ROHVA.ORG TO ENROLL IN A UTV ROHVA E-COURSE. CHECK ALL LOCAL LAWS BEFORE RIDING.

© 2021 HISUN MOTORS CORP., U.S.A. | © 2021 HISUN MOTORS CANADA CORP.

TACTICTM

SERIES



BUILT FOR ADVENTURE.

Designed to perform, the Tactic ATV series is engineered to adventure further and power through the elements. Experience the off-road like never before with class leading suspension and adjustable nitrogen assisted shocks making for a smooth and unforgettable ride.



2-UP

TACTIC 550



2-UP

TACTIC 750

ENGINE	546cc SINGLE	735cc SINGLE
TRANSMISSION	AUTOMATIC CVT L/H/N/R/P	AUTOMATIC CVT L/H/N/R/P
DRIVE SYSTEM	2WD / 4WD	2WD / 4WD
LOCKING DIFF.	FRONT	FRONT
SUSPENSION		
FRONT SUSPENSION	DUAL A-ARM	DUAL A-ARM
REAR SUSPENSION	DUAL A-ARM	DUAL A-ARM
SHOCKS	HYDRAULIC W/ NITROGEN ASSIST	HYDRAULIC W/ NITROGEN ASSIST
WHEELS		
FRONT TIRES	26 x 9-12	26 x 9-12
REAR TIRES	26 x 10-12	26 x 10-12
FEATURES		
WINCH	2,500 LB	3,500 LB
HEADLIGHTS	HIGH / LOW BEAM	HIGH / LOW BEAM
BRAKE LIGHTS	YES	YES
CARGO RACKS	FRONT / REAR	FRONT / REAR
EPS	YES	YES
WARRANTY	2-YEAR LIMITED	2-YEAR LIMITED

TLC

SERIES



2-UP

TACTIC 1000

976cc V-TWIN

AUTOMATIC CVT L/H/N/R

2WD / 4WD

FRONT

DUAL A-ARM

DUAL A-ARM

HYDRAULIC W/ NITROGEN ASSIST

27 x 9-14

27 x 11-14

3,500 LB

HIGH / LOW BEAM

YES

FRONT / REAR

YES

2-YEAR LIMITED

TACTIC 750



POWERFUL PERFORMANCE AND UNPARALLELED EFFICIENCY.

Powerful performance and efficiency. Our ATVs are a combination of sport and utility that create a fun and unique riding experience.

COLORS



STANDARD ACCESSORIES

ELECTRONIC POWER STEERING	4-WHEEL DRIVE
NITROGEN ASSISTED SHOCKS	DUAL A-ARM SUSPENSION
FRONT LOCKING DIFFERENTIAL	HYDRAULIC BRAKES
FRONT / REAR RACK	HAND GUARDS
HIGH / LOW BEAM HEADLIGHTS	WINCH





4-WHEEL DRIVE PERFORMANCE

Take command of your ride with on-demand 4-wheel drive. Select HUSUN units come standard with 4-wheel drive, see full vehicle specs for more details.



WARNING: HUSUN OFF-ROAD VEHICLES CAN BE HAZARDOUS TO OPERATE AND ARE NOT INTENDED FOR ON ROAD USE. PLEASE READ AND UNDERSTAND THE VEHICLE OWNER'S MANUAL BEFORE OPERATING. DRIVER MUST BE AT LEAST 16 YEARS OLD WITH A VALID DRIVER'S LICENSE TO OPERATE. PASSENGERS, IF PERMITTED, MUST BE AT LEAST 12 YEARS OLD. ALL RIDERS SHOULD ALWAYS WEAR HELMETS, EYE PROTECTION AND PROTECTIVE CLOTHING. ALWAYS USE SEAT BELTS AND CAB NETS OR DOORS (AS EQUIPPED). NEVER ENGAGE IN STUNT DRIVING AND AVOID EXCESSIVE SPEEDS AND SHARP TURNS. RIDING AND ALCOHOL AND/OR DRUGS DO NOT MIX. ALL RIDERS SHOULD TAKE A SAFETY TRAINING COURSE. CALL (800) 887-2887 TO ENROLL IN AN ATV RIDER COURSE OR VISIT WWW.ATVSAFETY.ORG FOR ADDITIONAL INFORMATION. VISIT WWW.ROHVA.ORG TO ENROLL IN A UTV ROHVA E-COURSE. CHECK ALL LOCAL LAWS BEFORE RIDING.

© 2021 HUSUN MOTORS CORP., U.S.A. | © 2021 HUSUN MOTORS CANADA CORP.



WARNING: HISUN OFF-ROAD VEHICLES CAN BE HAZARDOUS TO OPERATE AND ARE NOT INTENDED FOR ON ROAD USE. PLEASE READ AND UNDERSTAND THE VEHICLE OWNER'S MANUAL BEFORE OPERATING. DRIVER MUST BE AT LEAST 16 YEARS OLD WITH A VALID DRIVER'S LICENSE TO OPERATE. PASSENGERS, IF PERMITTED, MUST BE AT LEAST 12 YEARS OLD. ALL RIDERS SHOULD ALWAYS WEAR HELMETS, EYE PROTECTION AND PROTECTIVE CLOTHING. ALWAYS USE SEAT BELTS AND CAB NETS OR DOORS (AS EQUIPPED). NEVER ENGAGE IN STUNT DRIVING AND AVOID EXCESSIVE SPEEDS AND SHARP TURNS. RIDING AND ALCOHOL AND/OR DRUGS DO NOT MIX. ALL RIDERS SHOULD TAKE A SAFETY TRAINING COURSE. CALL (800) 887-2887 TO ENROLL IN AN ATV RIDER COURSE OR VISIT WWW.ATVSAFETY.ORG FOR ADDITIONAL INFORMATION. VISIT WWW.ROHVA.ORG TO ENROLL IN A UTV ROHVA E-COURSE. CHECK ALL LOCAL LAWS BEFORE RIDING.

© 2021 HISUN MOTORS CORP., U.S.A. | © 2021 HISUN MOTORS CANADA CORP.

FORGETM

SERIES



BUILT FOR COMFORT.

Designed for next level comfort and control, the Forge ATV series is made up of premium ATVs with a sleek design and smooth ride. Stability and precision run through the veins of every Forge ATV, ready to tackle the test and get you where you need to go.

FORGE

SERIES



FORGE 400i

ENGINE	393cc SINGLE
TRANSMISSION	AUTOMATIC CVT F/N/R
DRIVE SYSTEM	2WD / 4WD
LOCKING DIFF.	FRONT
SUSPENSION	
FRONT SUSPENSION	DUAL A-ARM
REAR SUSPENSION	SWING ARM
SHOCKS	ADJUSTABLE HYDRAULIC
WHEELS	
FRONT TIRES	25 x 8-12
REAR TIRES	25 x 10-12
FEATURES	
WINCH	N/A
HEADLIGHTS	HIGH / LOW BEAM
BRAKE LIGHTS	YES
TURN SIGNALS & HORN	NO
CARGO RACKS	FRONT / REAR
WARRANTY	2-YEAR LIMITED



2-YEAR LIMITED WARRANTY

Keep your mind at ease while tackling the toughest terrain with a 2-Year Limited Warranty coming standard on all full size ATVs and UTVs.



WARNING: HUSUN OFF-ROAD VEHICLES CAN BE HAZARDOUS TO OPERATE AND ARE NOT INTENDED FOR ON ROAD USE. PLEASE READ AND UNDERSTAND THE VEHICLE OWNER'S MANUAL BEFORE OPERATING. DRIVER MUST BE AT LEAST 16 YEARS OLD WITH A VALID DRIVER'S LICENSE TO OPERATE. PASSENGERS, IF PERMITTED, MUST BE AT LEAST 12 YEARS OLD. ALL RIDERS SHOULD ALWAYS WEAR HELMETS, EYE PROTECTION AND PROTECTIVE CLOTHING. ALWAYS USE SEAT BELTS AND CAB NETS OR DOORS (AS EQUIPPED). NEVER ENGAGE IN STUNT DRIVING AND AVOID EXCESSIVE SPEEDS AND SHARP TURNS. RIDING AND ALCOHOL AND/OR DRUGS DO NOT MIX. ALL RIDERS SHOULD TAKE A SAFETY TRAINING COURSE. CALL (800) 887-2887 TO ENROLL IN AN ATV RIDER COURSE OR VISIT WWW.ATVSAFETY.ORG FOR ADDITIONAL INFORMATION. VISIT WWW.ROHVA.ORG TO ENROLL IN A UTV ROHVA E-COURSE. CHECK ALL LOCAL LAWS BEFORE RIDING.

© 2021 HUSUN MOTORS CORP., U.S.A. | © 2021 HUSUN MOTORS CANADA CORP.

STRIKE

SPECIFICATIONS



	250	550	1000
ENGINE			
ENGINE TYPE	4-STROKE SINGLE CYLINDER OHC	4-STROKE SINGLE CYLINDER OHC	4-STROKE V-TWIN CYLINDER OHC
CYLINDERS DISPLACEMENT	229 CC	546 CC	976 CC
FUEL SYSTEM	EFI	EFI	EFI
COOLING	LIQUID	LIQUID	LIQUID
TRANSMISSION	AUTOMATIC CVT	AUTOMATIC CVT	AUTOMATIC CVT
DRIVE SYSTEM	2WD	2WD / 4WD	2WD / 4WD
LOCKING DIFFERENTIAL	N/A	REAR	REAR
FINAL DRIVE	CHAIN	SHAFT	SHAFT
SUSPENSION & BRAKES			
FRONT SUSPENSION	DUAL A-ARM	DUAL A-ARM	DUAL A-ARM
REAR SUSPENSION	SWING ARM	DUAL A-ARM	DUAL A-ARM
SHOCKS	HYDRAULIC	HYDRAULIC W/ NITROGEN ASSIST	HYDRAULIC W/ NITROGEN ASSIST
FRONT / REAR BRAKES	HYDRAULIC DISC	4-WHEEL HYDRAULIC DISC	4-WHEEL HYDRAULIC DISC
PARKING BRAKE	MECHANICAL	MECHANICAL	MECHANICAL
TIRES & WHEELS			
FRONT TIRES	22 x 7-10	26 x 9-14	27 x 9-14
REAR TIRES	22 x 10-10	26 x 11-14	27 x 11-14
WHEELS	ALUMINUM	ALUMINUM	ALUMINUM
SPECIFICATIONS			
OVERALL VEHICLE (L x W x H)	89" x 49.5" x 59"	106" x 53.5" x 72.5"	113" x 65" x 75"
WHEEL BASE	68.5"	76"	85"
CARGO BED DIMENSIONS (L x W x H)	20" x 37" x 7"	23" x 42" x 9"	27" x 51" x 9"
CARGO BED CAPACITY	23 KG	159 KG	159 KG
PERSON CAPACITY	2	2	2
FUEL CAPACITY	13 LITERS	28 LITERS	28 LITERS
EMPTY VEHICLE WEIGHT RATING (EVW)	298 KG	620 KG	790 KG
GROSS VEHICLE WEIGHT RATING (GVW)	508 KG	939 KG	1,048 KG
TOW RATING	N/A	544 KG	800 KG
GROUND CLEARANCE	8"	12"	13"
INSTRUMENTATION	ANALOG SPEEDOMETER & TACHOMETER W/ LCD RIDER INFO	DIGITAL SPEEDOMETER & TACHOMETER W/ LCD RIDER INFO	ANALOG SPEEDOMETER & TACHOMETER W/ LCD RIDER INFO
STANDARD EQUIPMENT			
WINCH	2,500 LB	3,500 LB	4,500 LB
ROOF	YES	YES	YES
WINDSHIELD	2-PIECE	2-PIECE	2-PIECE
BRAKE LIGHTS	YES	YES	YES
HEADLIGHTS	HIGH / LOW BEAM	HIGH / LOW BEAM	HIGH / LOW BEAM
TURN SIGNALS & HORN	YES	YES	YES
ELECTRONIC POWER STEERING (EPS)	NOT AVAILABLE	NOT AVAILABLE	YES
WARRANTY	1-YEAR LIMITED	2-YEAR LIMITED	2-YEAR LIMITED

SECTOR

SPECIFICATIONS



	250	450	550	750	1000
ENGINE					
ENGINE TYPE	4-STROKE SINGLE CYLINDER OHC	4-STROKE SINGLE CYLINDER OHC	4-STROKE SINGLE CYLINDER OHC	4-STROKE SINGLE CYLINDER OHC	4-STROKE V-TWIN CYLINDER OHC
CYLINDERS DISPLACEMENT	229 CC	454 CC	546 CC	735 CC	976 CC
FUEL SYSTEM	EFI	EFI	EFI	EFI	EFI
COOLING	LIQUID	LIQUID	LIQUID	LIQUID	LIQUID
TRANSMISSION	AUTOMATIC CVT	AUTOMATIC CVT	AUTOMATIC CVT	AUTOMATIC CVT	AUTOMATIC CVT
DRIVE SYSTEM	2WD	2WD / 4WD	2WD / 4WD	2WD / 4WD	2WD / 4WD
LOCKING DIFFERENTIAL	N/A	FRONT	FRONT	FRONT	FRONT & REAR
FINAL DRIVE	CHAIN	SHAFT	SHAFT	SHAFT	SHAFT
SUSPENSION & BRAKES					
FRONT SUSPENSION	DUAL A-ARM	DUAL A-ARM	DUAL A-ARM	DUAL A-ARM	DUAL A-ARM
REAR SUSPENSION	SWING ARM	DUAL A-ARM	DUAL A-ARM	DUAL A-ARM	DUAL A-ARM
SHOCKS	HYDRAULIC	HYDRAULIC W/ NITROGEN ASSIST	HYDRAULIC W/ NITROGEN ASSIST	HYDRAULIC W/ NITROGEN ASSIST	HYDRAULIC W/ NITROGEN ASSIST
FRONT / REAR BRAKES	HYDRAULIC DISC	4-WHEEL HYDRAULIC DISC	4-WHEEL HYDRAULIC DISC	4-WHEEL HYDRAULIC DISC	4-WHEEL HYDRAULIC DISC
PARKING BRAKE	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL	MECHANICAL
TIRES & WHEELS					
FRONT TIRES	22 x 7-10	26 x 9-12	26 x 9-14	26 x 9-14	27 x 9-14
REAR TIRES	22 x 10-10	26 x 11-12	26 x 11-14	26 x 11-14	27 x 11-14
WHEELS	ALUMINUM	ALUMINUM	ALUMINUM	ALUMINUM	ALUMINUM
SPECIFICATIONS					
OVERALL VEHICLE (L x W x H)	96" x 49" x 64.5"	107" x 61" x 74"	118" x 61" x 75.5"	118" x 61" x 75.5"	122.5" x 65" x 76"
WHEEL BASE	69"	72.5"	76.5"	76.5"	85"
CARGO BED DIMENSIONS (L x W x H)	23" x 33" x 8"	30" x 41" x 11"	34" x 45" x 11"	34" x 45" x 11"	37" x 48" x 11"
CARGO BE DUMP TYPE	GAS ASSIST	GAS ASSIST	GAS ASSIST	GAS ASSIST	HYDRAULIC
CARGO BED CAPACITY	49 KG	158 KG	227 KG	500 LBS	800 KG
PERSON CAPACITY	2	2	2	2	2
FUEL CAPACITY	13 LITERS	28 LITERS	28 LITERS	28 LITERS	28 LITERS
EMPTY VEHICLE WEIGHT RATING (EVW)	298 KG	620 KG	743 KG	743 KG	800 KG
GROSS VEHICLE WEIGHT RATING (GVW)	508 KG	938 KG	1,062 KG	1,062 KG	1,158 KG
TOW RATING	N/A	544 KG	680 KG	680 KG	907 KG
GROUND CLEARANCE	8"	10"	12"	12"	12.5"
INSTRUMENTATION	ANALOG SPEEDOMETER & TACHOMETER W/ LCD RIDER INFO	ANALOG SPEEDOMETER & TACHOMETER W/ LCD RIDER INFO	ANALOG SPEEDOMETER & TACHOMETER W/ LCD RIDER INFO	ANALOG SPEEDOMETER & TACHOMETER W/ LCD RIDER INFO	ANALOG SPEEDOMETER & TACHOMETER W/ LCD RIDER INFO
STANDARD EQUIPMENT					
WINCH	2,500 LB	3,500 LB	3,500 LB	3,500 LB	4,500 LB
ROOF	YES	YES	YES	YES	YES
WINDSHIELD	2-PIECE	2-PIECE	2-PIECE	2-PIECE	2-PIECE
BRAKE LIGHTS	YES	YES	YES	YES	YES
HEADLIGHTS	HIGH / LOW BEAM	HIGH / LOW BEAM	HIGH / LOW BEAM	HIGH / LOW BEAM	HIGH / LOW BEAM
TURN SIGNALS & HORN	YES	YES	YES	YES	YES
DOORS	NOT AVAILABLE	NOT AVAILABLE	YES	YES	NOT AVAILABLE
POWER STEERING (EPS)	NOT AVAILABLE	NOT AVAILABLE	YES	YES	YES
WARRANTY	1-YEAR LIMITED	2-YEAR LIMITED	2-YEAR LIMITED	2-YEAR LIMITED	2-YEAR LIMITED

SECTOR

SPECIFICATIONS



750 CREW

1000 CREW

ENGINE

ENGINE TYPE	4-STROKE SINGLE CYLINDER OHC	4-STROKE V-TWIN CYLINDER OHC
CYLINDERS DISPLACEMENT	735 CC	976 CC
FUEL SYSTEM	EFI	EFI
COOLING	LIQUID	LIQUID
TRANSMISSION	AUTOMATIC CVT	AUTOMATIC CVT
DRIVE SYSTEM	2WD / 4WD	2WD / 4WD
LOCKING DIFFERENTIAL	FRONT	FRONT & REAR
FINAL DRIVE	SHAFT	SHAFT

SUSPENSION & BRAKES

FRONT SUSPENSION	DUAL A-ARM	DUAL A-ARM
REAR SUSPENSION	DUAL A-ARM	DUAL A-ARM
SHOCKS	HYDRAULIC W/ NITROGEN ASSIST	HYDRAULIC W/ NITROGEN ASSIST
FRONT / REAR BRAKES	4-WHEEL HYDRAULIC DISC	4-WHEEL HYDRAULIC DISC
PARKING BRAKE	MECHANICAL	MECHANICAL

TIRES & WHEELS

FRONT TIRES	26 x 9-14	27 x 9-14
REAR TIRES	26 x 11-14	27 x 11-14
WHEELS	ALUMINUM	ALUMINUM

SPECIFICATIONS

OVERALL VEHICLE (L x W x H)	155" x 65" x 74"	155" x 65" x 78"
WHEEL BASE	109"	117"
CARGO BED DIMENSIONS (L x W x H)	34" x 45" x 11"	37" x 48" x 11"
CARGO BE DUMP TYPE	GAS ASSIST	HYDRAULIC
CARGO BED CAPACITY	227 KG	456 KG
PERSON CAPACITY	4	4
FUEL CAPACITY	28 LITERS	28 LITERS
EMPTY VEHICLE WEIGHT RATING (EVW)	780 KG	857 KG
GROSS VEHICLE WEIGHT RATING (GVW)	1,062 KG	1,515 KG
TOW RATING	680 KG	907 KG
GROUND CLEARANCE	12"	12.5"

INSTRUMENTATION	ANALOG SPEEDOMETER & TACHOMETER W/ LCD RIDER INFO	ANALOG SPEEDOMETER & TACHOMETER W/ LCD RIDER INFO
-----------------	---	---

STANDARD EQUIPMENT

WINCH	3,500 LB	4,500 LB
ROOF	YES	YES
WINDSHIELD	2-PIECE	2-PIECE
BRAKE LIGHTS	YES	YES
HEADLIGHTS	HIGH / LOW BEAM	HIGH / LOW BEAM
TURN SIGNALS & HORN	YES	YES
DOORS	YES	YES
ELECTRONIC POWER STEERING (EPS)	YES	YES
WARRANTY	2-YEAR LIMITED	2-YEAR LIMITED

SECTOR

ELECTRIC SPECIFICATIONS



E1

MOTOR

ENGINE TYPE	AC INDUCTION
BATTERY VOLTAGE	48
BATTERY TYPE	DRY CELL
BATTERY CAPACITY	2,080 AMP/HOURS
CHARGE TYPE	6 ~ 10 HRS
CHARGING SYSTEM	1,200 WATT / ON BOARD
HORSEPOWER	30
TORQUE	220
TRANSMISSION	L/M/H/N/R
DRIVE SYSTEM	2WD / 4WD
LOCKING DIFFERENTIAL	FRONT
FINAL DRIVE	DIRECT
RANGE	> 42 MILES

SUSPENSION & BRAKES

FRONT SUSPENSION	DUAL A-ARM
REAR SUSPENSION	DUAL A-ARM
SHOCKS	HYDRAULIC W/ NITROGEN ASSIST
FRONT / REAR BRAKES	HYDRAULIC DISC
PARKING BRAKE	MECHANICAL

TIRES & WHEELS

FRONT TIRES	26 x 9-14
REAR TIRES	26 x 11-14
WHEELS	ALUMINUM

SPECIFICATIONS

OVERALL VEHICLE (L x W x H)	110" x 62" x 73"
WHEEL BASE	72.5"
CARGO BED DIMENSIONS (L x W x H)	30" x 41" x 11"
CARGO BED DUMP TYPE	GAS ASSIST
CARGO BED CAPACITY	159 KG
PERSON CAPACITY	2
EMPTY VEHICLE WEIGHT RATING (EVW)	935 KG
GROSS VEHICLE WEIGHT RATING (GVW)	1,254 KG
TOW RATING	680 KG
GROUND CLEARANCE	11"
INSTRUMENTATION	ANALOG SPEEDOMETER & TACHOMETER WITH LCD RIDER INFORMATION

STANDARD EQUIPMENT

WINCH	3,500 LB
ROOF	YES
WINDSHIELD	2-PIECE
BRAKE LIGHTS	YES
HEADLIGHTS	HIGH / LOW BEAM
TURN SIGNALS & HORN	YES
DOORS	NOT AVAILABLE
ELECTRONIC POWER STEERING (EPS)	NOT AVAILABLE
WARRANTY	2-YEAR LIMITED

TACTIC


SPECIFICATIONS



	550	750	1000
ENGINE			
ENGINE TYPE	4-STROKE SINGLE CYLINDER OHC	4-STROKE SINGLE CYLINDER OHC	4-STROKE V-TWIN CYLINDER OHC
CYLINDERS DISPLACEMENT	546 CC	735 CC	976 CC
FUEL SYSTEM	EFI	EFI	EFI
COOLING	LIQUID	LIQUID	LIQUID
TRANSMISSION	AUTOMATIC CVT	AUTOMATIC CVT	AUTOMATIC CVT
DRIVE SYSTEM	2WD / 4WD	2WD / 4WD	2WD / 4WD
LOCKING DIFFERENTIAL	FRONT	FRONT	FRONT
FINAL DRIVE	SHAFT	SHAFT	SHAFT
SUSPENSION & BRAKES			
FRONT SUSPENSION	DUAL A-ARM	DUAL A-ARM	DUAL A-ARM
REAR SUSPENSION	DUAL A-ARM	DUAL A-ARM	DUAL A-ARM
SHOCKS	HYDRAULIC W/ NITROGEN ASSIST	HYDRAULIC W/ NITROGEN ASSIST	HYDRAULIC W/ NITROGEN ASSIST
FRONT / REAR BRAKES	HYDRAULIC DISC	HYDRAULIC DISC	HYDRAULIC DISC
PARKING BRAKE	MECHANICAL	MECHANICAL	MECHANICAL
TIRES & WHEELS			
FRONT TIRES	26 x 9-12	26 x 9-12	27 x 9-14
REAR TIRES	26 x 10-12	26 x 10-12	27 x 11-14
WHEELS	ALUMINUM	ALUMINUM	ALUMINUM
SPECIFICATIONS			
OVERALL VEHICLE (L x W x H)	90" x 47" x 54.5"	90" x 47" x 54.5"	98" x 48" x 54.5"
WHEEL BASE	57"	57"	58.5"
RACK CAPACITY	FRONT 20 KG / REAR 35 KG	FRONT 20 KG LB / REAR 35 KG	FRONT 20 KG / REAR 35 KG
PERSON CAPACITY	2	2	2
FUEL CAPACITY	17 LITERS	17 LITERS	20 LITERS
EMPTY VEHICLE WEIGHT RATING (EVW)	390 KG	390 KG	485 KG
GROSS VEHICLE WEIGHT RATING (GVW)	605 KG	605 KG	700 KG
TOW RATING	544 KG	544 KG	544 KG
GROUND CLEARANCE	11"	11"	12"
INSTRUMENTATION	ANALOG SPEEDOMETER & TACHOMETER W/ LCD RIDER INFO	ANALOG SPEEDOMETER & TACHOMETER W/ LCD RIDER INFO	ANALOG SPEEDOMETER & TACHOMETER W/ LCD RIDER INFO
STANDARD EQUIPMENT			
WINCH	2,500 LB	2,500 LB	3,500 LB
BRAKE LIGHTS	YES	YES	YES
HEADLIGHTS	HIGH / LOW BEAM	HIGH / LOW BEAM	HIGH / LOW BEAM
TURN SIGNALS & HORN	YES	YES	YES
CARGO RACKS	FRONT / REAR	FRONT / REAR	FRONT / REAR
ELECTRONIC POWER STEERING (EPS)	YES	YES	YES
WARRANTY	2-YEAR LIMITED	2-YEAR LIMITED	2-YEAR LIMITED

FORGE

SPECIFICATIONS



400i

ENGINE

ENGINE TYPE	4-STROKE SINGLE CYLINDER OHC
CYLINDERS DISPLACEMENT	393 CC
FUEL SYSTEM	EFI
COOLING	LIQUID
TRANSMISSION	AUTOMATIC CVT
DRIVE SYSTEM	2WD / 4WD
LOCKING DIFFERENTIAL	FRONT
FINAL DRIVE	SHAFT

SUSPENSION & BRAKES

FRONT SUSPENSION	DUAL A-ARM
REAR SUSPENSION	SWING ARM
SHOCKS	ADJUSTABLE HYDRAULIC
FRONT / REAR BRAKES	HYDRAULIC DISC
PARKING BRAKE	MECHANICAL

TIRES & WHEELS

FRONT TIRES	25 x 8-12
REAR TIRES	25 x 10-12
WHEELS	STEEL

SPECIFICATIONS

OVERALL VEHICLE (L x W x H)	82.5" x 42" x 46"
WHEEL BASE	51"
RACK CAPACITY	FRONT 20 KG / REAR 35 KG
PERSON CAPACITY	1
FUEL CAPACITY	11 LITERS
EMPTY VEHICLE WEIGHT RATING (EVW)	350 KG
GROSS VEHICLE WEIGHT RATING (GVW)	485 KG
TOW RATING	544 KG
GROUND CLEARANCE	8"

INSTRUMENTATION	DIGITAL SPEEDOMETER & TACHOMETER W/ LCD RIDER INFORMATION
-----------------	---

STANDARD EQUIPMENT

WINCH	N/A
BRAKE LIGHTS	YES
HEADLIGHTS	HIGH / LOW BEAM
TURN SIGNALS & HORN	NO
CARGO RACKS	FRONT / REAR
WARRANTY	2-YEAR LIMITED

FOR EVERYDAY USE.



@HISUNUSA

WARNING: HISUN OFF-ROAD VEHICLES CAN BE HAZARDOUS TO OPERATE AND ARE NOT INTENDED FOR ON ROAD USE. PLEASE READ AND UNDERSTAND THE VEHICLE OWNER'S MANUAL BEFORE OPERATING. DRIVER MUST BE AT LEAST 16 YEARS OLD WITH A VALID DRIVER'S LICENSE TO OPERATE. PASSENGERS, IF PERMITTED, MUST BE AT LEAST 12 YEARS OLD. ALL RIDERS SHOULD ALWAYS WEAR HELMETS, EYE PROTECTION AND PROTECTIVE CLOTHING. ALWAYS USE SEAT BELTS AND CAB NETS OR DOORS (AS EQUIPPED). NEVER ENGAGE IN STUNT DRIVING AND AVOID EXCESSIVE SPEEDS AND SHARP TURNS. RIDING AND ALCOHOL AND/OR DRUGS DO NOT MIX. ALL RIDERS SHOULD TAKE A SAFETY TRAINING COURSE. CALL (800) 887-2887 TO ENROLL IN AN ATV RIDER COURSE OR VISIT WWW.ATVSAFETY.ORG FOR ADDITIONAL INFORMATION. VISIT WWW.ROHVA.ORG TO ENROLL IN A UTV ROHVA E-COURSE. CHECK ALL LOCAL LAWS BEFORE RIDING.

WARNING: HISUN ON-ROAD VEHICLES CAN BE HAZARDOUS TO OPERATE AND ARE NOT INTENDED FOR OFF-ROAD USE. PLEASE READ AND UNDERSTAND THE VEHICLE OWNER'S MANUAL BEFORE OPERATING. DRIVER MUST BE AT LEAST 16 YEARS OLD WITH A VALID DRIVER'S LICENSE TO OPERATE. PASSENGERS, IF PERMITTED, MUST BE AT LEAST 12 YEARS OLD. ALL RIDERS SHOULD ALWAYS USE SEAT BELTS, TURN SIGNALS AND CAB NETS OR DOORS (AS EQUIPPED). NEVER ENGAGE IN STUNT DRIVING AND AVOID EXCESSIVE SPEEDS AND SHARP TURNS. RIDING AND ALCOHOL AND/OR DRUGS DO NOT MIX. CHECK ALL LOCAL LAWS BEFORE RIDING.

© 2021 HISUN MOTORS CORP., U.S.A. | © 2021 HISUN MOTORS CANADA CORP.